Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
		012288	B. WING		C 04/02/2014	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE						
LAMPLIGHT INN OF FORT WAYNE 300 E WASHINGTON BLVD FORT WAYNE, IN 46802						
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	TIVE ACTION SHOULD BE COMPLETE CED TO THE APPROPRIATE DATE	
R 000	000 INITIAL COMMENTS		R 000			
	This visit was for the Investigation of Complaint IN00145901.					
	Complaint IN00145901- Substantiated, no deficiencies related to the allegations are cited. Survey Dates: April 2, 2014					
	Provider number: N/	12288 'A /A				
	Survey team: Angela Strass, RN					
	Census bed type: Residential: 139 Total: 139					
	Census payor type: Other: 139 Total: 139					
	Sample: 3					
		Wayne was found to be in IAC 16.2 in regard to the Daint IN00145901.				
	Quality Review 04/03	3/14 by Lisa McColly				

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE